

1 4. (amended) A device as defined in claim 2, wherein
2 the slots each have a width between 0.1-0.3 mm.

1 5. (amended) A device as defined in claim 2, wherein
2 each slot has a width of 0.25 mm.

1 6. (amended) A device as defined in claim 2, wherein
2 the member comprises a tube and wherein the slots are directed
3 longitudinally of the tube.

A

1 7. (amended) A device as defined in claim 2, wherein
2 the member is a corrugated member, and wherein the slots are
3 in walls of the corrugation and directed longitudinally
4 thereof.

1 8. (amended) A device as defined in claim 6, wherein
2 the slots are arranged in groups of a plurality of slots.

1 9. (amended) A device as defined in claim 7, wherein
2 the slots are arranged in groups of a plurality of slots.

1 10. (amended) A device as defined in claim 9, wherein
2 the slots are arranged in more than one row.

1 11. (amended) A device as defined in claim 8, wherein
2 the slots are arranged in rows whereby to provide slots both
3 close to the bottom and to the top of the tube in any
4 orientation of the tube.

1 12. (amended) A device as defined in claim 10, wherein
2 the length of each slot is not greater than the longitudinal
3 pitch along a particular row of slots.

1 13. (amended) A device as defined in claim 11, wherein
2 the length of each slot is not greater than the longitudinal
3 pitch along a particular row of slots.

1 14. (amended) A device as defined in claim 12, wherein
2 the slots are staggered along the length of the member.

1 15. (amended) A device as defined in claim 13, wherein
2 the slots are staggered along the length of the member.

1 16. (amended) A device as defined in claim 2, wherein
2 the slots are formed by a laser cutting device.

1 17. (amended) A device as defined in claim 16, wherein
2 the members are selected from a group of materials consisting
3 of stainless steel, brass, aluminum, and plastic.

1 18. (amended) A system for backwashing a filter medium
2 of a filter bed, comprising:

- 3 (i) a plurality of members as defined in claim 1; and
4 (ii) wherein said members extend substantially in
5 spatial relation one with another and wherein each
6 is connected with a fluid supply means.

1 19. (new) A system as defined in claim 18, wherein the
2 fluid supply means comprises a supply pipe for each member and
3 a common manifold to which each supply pipe is connected.

1 20. (new) A filter, side walls and a base, and wherein
2 there is installed a system as defined in claim 19.

1 21. (new) A filter as defined in claim 20, wherein the
2 members extend laterally of the filter.

1 22. (new) A filter as defined in claim 21, wherein the
2 members are positioned at the base of the filter.

1 23. (new) A filter as defined in claim 22, wherein the
2 members are positioned adjacent the base of the filter.

If there are any fees resulting from this
communication, the Commissioner is hereby authorized to charge
such fees or credit any overpayment to our Deposit Account No.
16-0820, Order No. 33415.

Respectfully submitted,
PEARNE & GORDON LLP

By Thomas P. Schiller
Thomas P. Schiller, Reg. No. 20677

526 Superior Avenue East, Suite 1200
Cleveland, Ohio 44114-1484
(216) 579-1700

Date: March 21, 2001